


Heat treated, military grade carbon steel blade

to-Shaft Connection



THE LAST TOOL YOU WILL EVER BUY

The K Series

With its e-Fiberglass Shaft, our K Series has the strongest shaft in the world. With a breaking strength of 272 kg, this series is superior to other Garden and Construction Tools.

Modern and innovative solutions, high-quality materials, excellent design, reliability and usefulness. With these long-lived Cat Garden and Construction Tools, you will accomplish your task quickly, efficiently and professionally. For more than a century Caterpillar has been a pioneer in construction machinery.

Now we have pioneered a new breed of tools.

The Cat Tools K Series is developed from the most robust materials available, combined with practical innovation and ergonomic design. Our tools incorporate state-of-the-art features and are rigorously tested for quality.

K10-100

Cat K-Series: Shovel, **Long Handle, Round Point**

Total length:	151,00 cm
Shaft length:	121,00 cm
Blade width:	21,50 cm
Blade length:	30,00 cm
Weight:	2,61 kg

Product features:

- >> Multi-Hand Position, Comfort Grip
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- » Heat Treated Extended Socket
- >> Wide Step for Stable Foot Position
- Military Grade, Heat Treated Hardened Steel
- >> Beveled Sharpened Blade Edge



Total length:	110,00 cm
Shaft length:	80,00 cm
Blade width:	21,50 cm
Blade length:	30,00 cm
Neight:	2,61 kg

Product features:

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- » Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -**Rated Strongest in Class**
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- » Heat Treated Extended Socket
- >> Wide Step for Stable Foot Position
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge



Cat K-Series: Shovel. **Long Handle, Square Point**

Total length:	151,00 cm
Shaft length:	122,00 cm
Blade width:	23,50 cm
Blade length:	29,00 cm
Weight:	2,71 kg

Product features:

- Multi-Hand Position, Comfort Grip
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -**Rated Strongest in Class**
- Patented Head/Handle Connection. Collar and Lower "Lift" Position
- Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

K10-104

Cat K-Series: Shovel, **D-Handle, Square Point**

Total length:	110,00 cm
Shaft length:	81,00 cm
Blade width:	24,00 cm
Blade length:	29,00 cm
Weight:	2,56 kg

Product features:

- Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

K10-105

Cat K-Series: Garden Spade, D-Handle

Total length:	110,00 cm
Shaft length:	82,00 cm
Blade width:	17,50 cm
Blade length:	28,00 cm
Weight:	2,30 kg

Product features:

- Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- Heat Treated Extended Socket
- Wide Step for Stable Foot Position
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

K10-106

Cat K-Series: D-Handle. Drain Spade

Total length:	124,00 cm
Shaft length:	83,00 cm
Blade width:	11,50 cm
Blade length:	41,00 cm
Weight:	2,30 kg

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- Standard Forward-Turned Step
- Beveled Sharpened Blade Edge







Cat Tools | K Series | Construction Tools

Cat Tools | K Series | Rakes

K11-101

Cat K-Series: Shovel, 4" Trench

Total length: 145,00 cm 117.50 cm **Shaft length:** 10,50 cm Blade width: 27,50 cm Blade length: Weight: 1,94 kg

Product features:

Multi-Hand Position. Comfort Grip

Patented Head/Handle

Connection, Collar and

Standard Forward-Turned Step

Military Grade, Heat Treated

» Beveled Sharpened Blade Edge

Lower "Lift" Position

› Heat Treated Socket

Hardened Steel

- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle Rated Strongest in Class
 - Connection

K13-100

Cat K-Series: **Post Hole Digger**

Total length:	156,00 cm
Shaft length:	133,00 cm
Blade width:	12,50 cm
Blade length:	23,00 cm
Weight:	4,12 kg

Product features:

- Multi-Hand Position. **Comfort Grips**
- Non-conductive Fiberglass Handles
- Nearly Indestructible Handle -**Rated Strongest in Class**
- Patented Head/Handle
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edges

K16-150

Cat K-Series: Mortar Hoe, Forged

Total length:	149,00 cm
Shaft length:	133,50 cm
Blade width:	25,00 cm
Blade length:	15,50 cm
Weight:	1,89 kg

Product features:

- Multi-Hand Position. Comfort Grip
- » Non-conductive Fiberglass Handle
- Nearly Indestructible Handle Rated Strongest in Class
- Patented Head/Handle Connection
- Military Grade, Hardened Steel
- Rolled Forged Mortar with Pattern Head

K17-150

Cat K-Series: Scraper, Forged

Total length:

iotai iongtii.	100,00 6111
Shaft length:	143,00 cm
Blade width:	18,00 cm
Blade length:	12,50 cm
Weight:	1,54 kg

155 50 cm

Product features:

- Multi-Hand Position. Comfort Grip
- >> Non-conductive Fiberglass Handle
- » Nearly Indestructible Handle -Rated Strongest in Class
- Patented Head/Handle Connection
- » Military Grade, Hardened Steel
- » Rolled Forged Scraper with Pattern Head
- >> Perfect for pecking holes for ice fishing

K15-150

Cat K-Series: Bow Rake, 16 Tine

Total length:	155,00 cm
Shaft length:	147,00 cm
Tine head width:	42,00 cm
Tine length:	8,00 cm
Weight:	1,91 kg

Product features:

- Multi-Hand Position Comfort Grip
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- Patented Head/Handle Connection
- Military Grade, Hardened Steel
- Rolled Forged Head with 16 Tines

............

K19-150

Cat K-Series: Leaf and Lawn Rake, 19 Tines

Total length:	171,00 cm
Shaft length:	141,00 cm
Tine head width:	60,00 cm
Tine head length:	30,00 cm
Weight:	1,27 kg

Product features:

- >> Multi-position Comfort Grip
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- >> 19 pcs continuous Spring Steel Tines with Bolt-Thru Assembly

K19-151

Cat K-Series: Lawn Rake, 26 Tines

Total length:	149,00 cm
Shaft length:	133,00 cm
Tine head width:	43,00 cm
Tine head length:	16,00 cm
Weight:	0,95 kg

- >> Multi-position Comfort Grip
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- 26 pcs Wide Spread Spring Steel Tines dig to the Base of the Roots

















Blade made of high quality hardened steel, extremely durable, firmly connected to the handle

A suitably shaped shaft made of composite material, reinforced with fiberglass, ensures shock absorption

The soft, non-slip SAFETOUCH™ surface covers a considerable length of the shaft and provides a secure grip and ease of use STRIKE BACK LIKE A JEDI

The J Series Striking Tools

Axes, hammers, mauls and picks with a sublime ergonomic grip - produced in highest class quality and durable materials.

New innovative solutions, high-quality materials, excellent design, reliability and usefulness. With these long-lived Cat Striking Tools, you will accomplish your task quickly, efficiently and professionally.

The Cat Striking Tools Line is developed from the most robust materials available, combined with practical innovation and ergonomic design. Our tools incorporate state-of-the-art features and are rigorously tested for quality.

Cat Tools | J Series | Axes

Cat Tools | J Series | Axes

CAT

J25-240

Cat J-Series: Axe Blade Sharpener, Ergo, Universal

Packaging:

Product features:

- » For sharpening axes, knives etc.
- Made of durable, impact-resistant polycarbonate
- The ergonomic design offers a secure, convenient and safe grip of the sharpener

Blister

- The base with rubberized feet ensures stability of the sharpener during sharpening
- The sharpening wheel made from specially selected blend of silicon, a material for highly demanding applications

J25-201

Cat J-Series: Universal Axe, U600, Ergo, 1.25lb

Total length:	26,00 cm
Shaft length:	21,00 cm
Blade width:	12,5 cm
Weight:	0,6 kg

Product features:

- Universal axe, ideal for use during camps, bivouacs, works as a survival tool
- Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the shaft
- Appropriately shaped handle made of a fiberglass-reinforced composite, provides cushioning at impact
- » A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Perfect balance of the tool provides high ergonomics and comfort
- Axe can safely and securely be attached to a belt or backpack

J25-202

Cat J-Series: Universal Axe, U1100, Ergo, 2.5lb

Total length:	45,00 cm
Shaft length:	39,50 cm
Head width:	15,50 cm
Weight:	1,1 kg

Product features:

0

- Strong cutting axe, recommended for carpentry, gardening, building and cleaning jobs
- Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the handle
- Appropriately shaped handle made of a fiberglass-reinforced composite, provides cushioning at impact
- A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Perfect balance of the tool provides high ergonomics and comfort
- Multifunctional cover guarantees safe handling, storage of the axe and sharpener

J25-226

Cat J-Series: Splitting Axe, C1600, Ergo, 3.5lb

Total length:	61,50 cm
Shaft length:	54,50 cm
Head width:	17,00 cm
Weight:	1,6 kg

Product features:

- Splitting axe designed for medium-sized tree trunks with a diameter of more than 20 cm
- Meets the requirements of farmers, gardeners, construction and forestry workers worldwide
- Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the handle
- Unique head shape suitable for splitting wood
- » Appropriately shaped handle made of a fiberglass-reinforced composite, provides cushioning at impact
- A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Multifunctional cover guarantees safe handling, storage of the axe and sharpener

J25-227

Cat J-Series: Splitting Axe, C2000, Ergo, 4.5lb

Total length:	73,50 cm
Shaft length:	67,00 cm
Head width:	17,0 cm
Weight:	2,0 kg

Product features:

- Splitting axe designed for medium-sized tree trunks with a diameter of more than 25 cm
- » Meets the requirements of farmers, gardeners, construction and forestry workers worldwide
- » Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the handle
- Unique head shape suitable for splitting wood

0

- » Appropriately shaped handle made of a fiberglass-reinforced composite, provides cushioning at impact
- » A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Multifunctional cover guarantees safe handling, storage of the axe and sharpener

J25-228

Cat J-Series: Splitting Axe, C2500, Ergo, 5.5lb

Total length:	73,50 cm
Shaft length:	67,00 cm
Head width:	20,00 cm
Weight:	2,5 kg

- The ideal axe for splitting trunks with a diameter of more than 30 cm
- Intended for advanced users and professionals
- » Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the handle
- Unique head shape suitable for splitting wood
- » Appropriately shaped handle made of a fiberglass-reinforced composite, provides cushioning at impact
- » A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Multifunctional cover guarantees safe handling, storage of the axe and sharpener



Cat Tools | J Series | Mattock and Maul

Cat Tools | J Series | Hammers

J25-300

Cat J-Series: Pick Mattock, 5lb

Total length:	84,00 cm
Shaft length:	81,50 cm
Head width:	48,00 cm
Head depth:	9,50 cm
Weight:	3,58 kg

Product features:

- » Mattock blade for digging, planting and trenching
- » Pick point for easy penetration when chiseling, punching and cracking the surface
- >> Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop

J25-250

Cat J-Series: Maul. 6lb

Total length:	86,00 cm
Shaft length:	77,80 cm
Head width:	22,00 cm
Head depth:	5,30 cm
Weight:	2,72 kg

Product features:

- Head drop-forged, heat treated, full weight
- Heat-treated sharp blade
- » Polished striking face with chamfered edge
- Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop



Cat J-Series: Engineer Hammer, 4lb

Total length:	40,50 cm
Shaft length:	36,50 cm
Head width:	13,00 cm
Head depth:	5,00 cm
Weight:	2,10 kg

Product features:

- Head drop-forged, heat treated, full weight
- Polished striking face with chamfered edge
- >> Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop

J25-108

Cat J-Series: Sledge Hammer, 8lb

Total length:	84,20 cm
Shaft length:	78,50 cm
Head width:	16,20 cm
Head depth:	6,00 cm
Weight:	4,70 kg

Product features:

- Head drop-forged, heat treated, full weight
- Polished striking face with chamfered edge
- Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop

J25-110

Cat J-Series: Sledge Hammer, 10lb

Total length:	84,70 cm
Shaft length:	78,50 cm
Head width:	16,50 cm
Head depth:	6,50 cm
Weight:	5,60 kg

- >> Head drop-forged, heat treated, full weight
- Polished striking face with chamfered edge
- >> Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- >> Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop





















WORK LIKE A PRO IN YOUR HOME GARDEN

The J Series **Garden Tools**

Strength, durability and ergonomic design are the keywords in our J Series Garden Tools for the quality-conscious consumer.

you will ever need. Durability through high-quality materials, excellent design, reliability and usefulness.

With these long-lived products, you will have the last tool With these long-lived Cat Garden Tools, you will accomplish every task quickly, efficiently and professionally.

J10-200

Cat J-Series: Shovel, **Long Handle, Round Point**

Total length:	150,00 cm
Shaft length:	119,00 cm
Blade width:	22,50 cm
Blade length:	31,00 cm
Weight:	2,61 kg

Product features:

- Multi-Hand Position, Comfort Grip
- >> Flat-Sided Lateral Control Fiberglass Handle
- >> Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- >> Wide Step for Stable Foot Position
- » Military Grade, Heat Treated Hardened Steel
- >> Beveled Sharpened Blade Edge

J10-202

Cat J-Series: Shovel, **D-Handle, Round Point**

Total length:	116,00 cm
Shaft length:	84,00 cm
Blade width:	22,50 cm
Blade length:	31,00 cm
Weight:	2,55 kg

Product features:

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- >> Flat-Sided Lateral Control Fiberglass Handle
- Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- » Wide Step for Stable Foot Position
- » Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

J10-203

Cat J-Series: Shovel, **Long Handle, Square Point**

Total length:	150,00 cm
Shaft length:	120,50 cm
Blade width:	24,50 cm
Blade length:	29,50 cm
Weight:	2,82 kg

Product features:

- Multi-Hand Position, Comfort Grip
- >> Flat-Sided Lateral Control Fiberglass Handle
- Head/Handle Connection with Extended Steel Collar
- Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

J10-204

Cat J-Series: Shovel, **D-Handle, Square Point**

Total length:	115,00 cm
Shaft length:	85,50 cm
Blade width:	24,50 cm
Blade length:	29,50 cm
Weight:	2,82 kg

Product features:

- Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Flat-Sided Lateral Control Fiberglass Handle
- › Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

J10-205

Cat J-Series: Garden Spade, D-Handle

115,00 cm
86,50 cm
17,50 cm
28,50 cm
2,42 kg

Product features:

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- » Flat-Sided Lateral Control Fiberglass Handle
- Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

J10-206

Cat J-Series: Drain Spade, D-Handle

Total length:	127,00 cm
Shaft length:	86,00 cm
Blade width:	14,00 cm
Blade length:	41,00 cm
Weight:	2,42 kg

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- >> Flat-Sided Lateral Control Fiberglass Handle
- › Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge









Cat Tools | J Series | Scoops

Cat Tools | J Series | Rakes

CAT

J12-201

Cat J-Series: Aluminum Scoop, D-Handle, DH12

Total length: 120,00 cm

Shaft length: 72,00 cm

Blade width: 37,50 cm

Blade length: 48,00 cm

Weight: 2,42 kg

Product features:

- » Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Flat-Sided Lateral Control Fiberglass Handle
- » Head/Handle Connection with Extended Collar
- >> Aluminum Socket
- › Heavy Gauge Aluminum Pattern Blade



Cat J-Series: Aluminum Scoop, D-Handle, DH8

Total length: 115,00 cm

Shaft length: 71,50 cm

Blade width: 34,00 cm

Blade length: 43,50 cm

Weight: 2,17 kg

Product features:

- Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Flat-Sided Lateral Control Fiberglass Handle
- Head/Handle Connection with Extended Collar
- » Aluminum Socket
- Heavy Gauge Aluminum Pattern Blade





J17-250

Cat J-Series: Bow Rake, Forged, 16 Tines

Total length: 155,00 cm

Shaft length: 147,00 cm

Blade width: 42,00 cm

Blade length: 8,00 cm

Weight: 2,25 kg

- >> Multi-Hand Position Comfort Grip
- Flat-Sided Lateral Control Fiberglass Handle
- » Head/Handle Connection with Extended Steel Ferrule
- Military Grade, Hardened Steel, 1pc Rolled Forged Head, 16 Tines







YOUR FEET WILL THANK YOU

The H Series

Patented new developed shovel gives you more power.

A shovel is not just a shovel! This series has a new blade/ shaft design with new functions. Transfer 75% more power compared to ordinary shovels with the new step

function - you can now use your complete body weight on one leg.

Cat Tools | H Series | Shovels

Cat Tools | H Series | Shovels

H10-300

Cat H-Series: Shovel, Long Handle, Round Point

Total length:	150,00 cm
Shaft length:	130,00 cm
Blade width:	30,00 cm
Blade length:	20,00 cm
Weight:	2,90 kg

Product features:

- » Multi-Hand Position TPR Comfort Grip
- >> Flat-Sided Lateral Control Fiberglass Handle
- » Head/Handle Dual Rivet Socket Assembly
- Heat Treated Double Extended Socket with Patented Power Ridge
- Patented "Full Foot Step" for Stable Foot Position
- » Military Grade, Heat Treated Hardened Steel
- » Beveled Sharpened Blade Edge

H10-302

Cat H-Series: Shovel, D-Handle, Round Point

Total length:	115,00 cm
Shaft length:	95,00 cm
Blade width:	30,00 cm
Blade length:	20,00 cm
Weight:	2,70 kg


Product features:

- >> Multi-Hand Position TPR Comfort D-Grip
- » Flat-Sided Lateral Control Fiberglass Handle
- » Head/Handle Dual Rivet Socket Assembly
- » Heat Treated Double Extended Socket with Patented Power Ridge
- Patented "Full Foot Step" for Stable Foot Position
- » Military Grade, Heat Treated Hardened Steel
- » Beveled Sharpened Blade Edge





Cat H Series Shovel Patented 'Full Foot Step' Function provides a very large step surface over the entire length of the foot



Ordinary Shovel

Very small lateral step surface



